

Specifications of the Porsche 911 Carrera Cabriolet*

Body:	Two-plus-two convertible; lightweight aluminium-steel body with wings, doors, luggage and engine compartment lids made of aluminium; two-stage driver and passenger airbags; side and knee airbags for driver and front passenger.
Aerodynamics:	Drag coefficient c_d : 0.30 Frontal area A: 2.02 m ² $c_d \times A$: 0.61
Engine:	Water-cooled flat-six engine; aluminium engine block and cylinder heads; four overhead camshafts, four valves per cylinder; variable valve timing and valve lift (VarioCam Plus) on the inlet side; hydraulic valve play compensation; direct petrol injection; a three-way catalytic converter with two oxygen sensors per cylinder bank; 10.1 litres engine oil; electronic ignition system with static ignition current distribution (six active ignition modules); thermal management for cooling circuit; auto start/stop function.
Bore:	97 mm
Stroke:	77.5 mm
Displacement:	3,436 cm ³
Compression Ratio:	12.5:1
Engine Power:	257 kW (350 hp) at 7,400 rpm
Max. Torque:	390 Nm at 5,600 rpm
Power Output per Litre:	74.8 kW/l (101.9 hp/l)
Maximum Revs:	7,800 rpm
Fuel Type:	Premium Plus
Electrical System:	12-volt; three-phase generator 2,100 W; battery capacity 70 Ah, 450 A; vehicle electrical system recuperation.

* Specifications may vary according to markets

Specifications • Porsche 911 Carrera Cabriolet

Power Transmission: Engine and transmission bolted together to form one drive unit; rear-wheel drive; seven-speed manual transmission, seven-speed Doppelkupplungsgetriebe (PDK) as an option.

Gear ratios:	Manual transmission	PDK transmission
1 st gear	3.91	3.91
2 nd gear	2.29	2.29
3 rd gear	1.55	1.65
4 th gear	1.30	1.30
5 th gear	1.08	1.08
6 th gear	0.88	0.88
7 th gear	0.71	0.62
Reverse	3.55	3.55
Final drive ratio	3.44	3.44
Clutch diameter	240 mm	202 mm/153 mm

Suspension: Front axle: McPherson axle (optimised to Porsche requirements) with wheels independently mounted on transverse control arms, longitudinal control arms and suspension struts; vibration dampers mounted inside cylindrical coil springs; electro-mechanical power steering.

Rear axle: multi-link rear suspension with wheels independently guided on five control arms; cylindrical coil springs with coaxial vibration dampers mounted inside.

Brake system: Dual-circuit brake system with separate circuits for front and rear axles; Porsche Stability Management (PSM); vacuum brake booster; brake assist; electric duo-servo parking brake; auto hold function.

Specifications • Porsche 911 Carrera Cabriolet

Brakes: Front axle: four-piston aluminium monobloc brake callipers, perforated and vented brake discs with a diameter of 330 mm and a thickness of 28 mm.

Rear axle: four-piston aluminium monobloc brake callipers, perforated and vented brake discs with a diameter of 330 mm and a thickness of 28 mm.

Wheels and Tyres:	Front	8.5 J x 19	on	235/40 ZR 19
	Rear	11 J x 19	on	285/35 ZR 19

Weights:	Kerb weight, DIN	1,450 (1,470) kg
	Permissible gross weight	1,850 (1,870 kg)

Dimensions:	Length	4,491 mm
	Width	1,808 mm
	Height	1,299 mm
	Wheelbase	2,450 mm

Track widths	Front	1,532 mm
	Rear	1,518 mm

Luggage compartment capacity	Front	135 l
	Rear	155 l

Fuel tank capacity	64 l
--------------------	------

Specifications • Porsche 911 Carrera Cabriolet

Performance:	Top speed	286 (284) km/h
	Acceleration:	
	0 – 100 km/h	5.0 (4.8) s
	(with Sport Plus and PDK*	4.6 s)
Consumption (NEDC):	0 – 200 km/h	16.9 (16.4) s
	(with Sport Plus and PDK*	16.1 s)
	Urban	13.1 (11.4) l/100 km
	Extra-urban	7.0 (6.7) l/100 km
CO₂ Emissions:	Combined	9.2 (8.4) l/100 km
		217 (198) g/km
	Emission Category:	Euro 5

Values in brackets refer to vehicles with PDK transmission.

* Together with the optional Sport Chrono Package